

<i>Species LATIN NAME</i>	Species English name	Espèces NOM Français	ICES fishing zone	CONSEIL TACs 2009	CONSEIL TACs 2008	CONSEIL % différence 2009/2008	Proposition de la COMMISSION pour 2009	différence Conseil / COM 2009/2008
ANNEX IA SKAGERRAK, KATTEGAT, ICES zones I, II, III, IV, V, VI, VII, VIII, IX, X, XII and XIV, EC Waters of CECAF, French Guyana waters								
<i>Ammodytidae</i>	Sandeel	Lançon	IIa (EC waters), IIIa & IV (EC waters) (SAN/2A3A4)	177500	na	na	na	na
<i>Argentina silus</i>	Greater silver smelt	Grande argentine	I & II (EC and International waters) (ARU/1/2)	116	116	0%	116	0%
<i>Argentina silus</i>	Greater silver smelt	Grande argentine	III & IV (EC and International waters) (ARU/3/4)	1.331	1.331	0%	1.331	0%
<i>Argentina silus</i>	Greater silver smelt	Grande argentine	V, VI, VII (EC and International waters) (ARU/567)	5.311	5.311	0%	5.311	0%
<i>Brosme brosme</i>	Tusk	Brosmes	By catches - EC and Int. Waters of I, II & XIV (USK/1214EI)	24	23	4%	21	-9%
<i>Brosme brosme</i>	Tusk	Brosmes	EC and Int. Waters of III (USK/03-C)	28	28	0%	24	-14%
<i>Brosme brosme</i>	Tusk	Brosmes	EC and Int. Waters of IV (USK/04-CI)	231	231	0%	196	-15%
<i>Brosme brosme</i>	Tusk	Brosmes	EC and Int. Waters of V, VI, and VII (USK/567EI)	435	435	0%	370	-15%
<i>Brosme brosme</i>	Tusk	Brosmes	IV (Norwegian waters) (USK/4AB-N)	170	170	0%	pm	na
<i>Clupea harengus</i>	Herring	Hareng	IIIa (HER/03A)	32.190	44.281	-27%	pm	na
<i>Clupea harengus</i>	Herring	Hareng	IV north of 53°30' N (EC & Norw. Waters of ICES) (HER/04A) (HER/04B)	97.843	116.210	-16%	pm	na
<i>Clupea harengus</i>	Herring	Hareng	Norwegian waters south of 62° N (HER/04-N)	846	846	0%	pm	na
<i>Clupea harengus</i>	Herring	Hareng	by-catches in IIIa (HER/03A-	8.373	11.470	-27%	pm	na
<i>Clupea harengus</i>	Herring	Hareng	by-catches in IV, VIIId and in EC waters of IIa(HER/2A47-DX)	15.985	18.806	-15%	18.806	0%
<i>Clupea harengus</i>	Herring	Hareng	IVc, VIIId	23.567	26.661	-12%	pm	na
<i>Clupea harengus</i>	Herring	Hareng	Vb, VIaN (EC waters), VIb	21.100	26.540	-20%	pm	na

<i>Clupea harengus</i>	Herring	Hareng	VIaS, VIIbc	9.314	11.642	-20%	8.732	-25%
<i>Clupea harengus</i>	Herring	Hareng	VIa Clyde	800	800	0%	680	-15%
<i>Clupea harengus</i>	Herring	Hareng	VIIa	4.800	4.800	0%	4.400	-8%
<i>Clupea harengus</i>	Herring	Hareng	VIIe, f	1.000	1.000	0%	1.000	0%
<i>Clupea harengus</i>	Herring	Hareng	VIIg, h, j, k	5.918	7.890	-25%	5.918	-25%
<i>Engraulis encrasicolus</i>	Anchovy	Anchois	VIII	0	0	0%	0	0%
<i>Engraulis encrasicolus</i>	Anchovy	Anchois	IX, X, CECAF 34.1.1 (EC waters)	8.000	8.000	0%	6.800	-15%
<i>Gadus morhua</i>	Cod	Cabillaud	Skagerrak	3.981	3.063	30%	pm	na
<i>Gadus morhua</i>	Cod	Cabillaud	Kattegat	673	673	0%	505	-25%
<i>Gadus morhua</i>	Cod	Cabillaud	IV, EC waters of IIa, the part of IIIa not covered by the Skagerrak and Kattegat -	23.902	18.386	30%	pm	na
<i>Gadus morhua</i>	Cod	Cabillaud	Norwegian waters south of 62° N - COD/04-N	382	382	0%	pm	na
<i>Gadus morhua</i>	Cod	Cabillaud	Vb (EC waters), VI, Int and EC waters of XII and XIV	302	402	-25%	302	-25%
<i>Gadus morhua</i>	Cod	Cabillaud	VIIa - COD/07A	899	1.199	-25%	899	-25%
<i>Gadus morhua</i>	Cod	Cabillaud	VIIb-k, VIII, IX, X, CECAF 34.1.1 (EC waters)	4.023	5.174	-22%	4.023	-22%
<i>Gadus morhua</i>	Cod	Cabillaud	VIIId - COD/07D	1.678	na	na	pm	na
<i>Lamna nasus</i>	Porbeagle	Requin taupe commun	EC and International waters of I-XIV	436	581	-25%	0	-100%
<i>Lepidorhombus spp.</i>	Megrims	Cardines	IIa (EC waters), IV (EC waters)	1.597	1.597	0%	1.357	-15%
<i>Lepidorhombus spp.</i>	Megrims	Cardines	Vb (EC waters), VI; XII, XIV (intern. Waters)	2.799	2.592	8%	2.203	-15%
<i>Lepidorhombus spp.</i>	Megrims	Cardines	VII	18.300	18.300	0%	15.555	-15%
<i>Lepidorhombus spp.</i>	Megrims	Cardines	VIII a,b,d,e	2.125	2.125	0%	1.806	-15%
<i>Lepidorhombus spp.</i>	Megrims	Cardines	VIIIc, IX, X, CECAF 34.1.1 (EC waters)	1.430	1.430	0%	1.430	0%
<i>Limanda limanda and Platichthys flesus</i>	Dabe and Flounder	dabé et Flet	IIa and IV (EC waters)	18.810	18.810	0%	16.929	-10%

<i>Lophiidae</i>	Anglerfish	Baudroie	IIa (EC waters), IV (EC waters)	11.345	11.345	0%	11.345	0%
<i>Lophiidae</i>	Anglerfish	Baudroie	IV (Norwegian waters)	1.550	1.610	-4%	pm	na
<i>Lophiidae</i>	Anglerfish	Baudroie	Vb (EC waters), VI, XII, XIV	5.567	5.155	8%	5.155	0%
<i>Lophiidae</i>	Anglerfish	Baudroie	VII	28.080	28.080	0%	25.740	-8%
<i>Lophiidae</i>	Anglerfish	Baudroie	VIIIa,b,d,e	7.920	7.920	0%	7.260	-8%
<i>Lophiidae</i>	Anglerfish	Baudroie	VIIIc, IX, X, CECAF 34.1.1 (EC waters)	1.760	1.955	-10%	1.466	-25%
<i>Melanogrammus aeglefinus</i>	Haddock	Eglefin	IIIa, IIIbcd (EC waters)	2.217	2.472	-10%	pm	na
<i>Melanogrammus aeglefinus</i>	Haddock	Eglefin	IIa (EC waters), IV	32.679	37.626	-13%	pm	na
<i>Melanogrammus aeglefinus</i>	Haddock	Eglefin	Norwegian waters south of 62° N	707	707	0%	pm	na
<i>Melanogrammus aeglefinus</i>	Haddock	Eglefin	VIb; XII and XIV (internat. Waters)	5.879	6.916	-15%	5.879	-15%
<i>Melanogrammus aeglefinus</i>	Haddock	Eglefin	Vb, VIa (EC waters)	3.516	6.120	-43%	4.590	-25%
<i>Melanogrammus aeglefinus</i>	Haddock	Eglefin	VII, VIII, IX, X; CECAF 34.1.1 (EC waters)	11.579	11.520	1%	8.790	-24%
<i>Melanogrammus aeglefinus</i>	Haddock	Eglefin	VIIa	1.424	1.238	15%	1.238	0%
<i>Merlangius merlangus</i>	Whiting	Merlan	IIIa	258	258	na	pm	na
<i>Merlangius merlangus</i>	Whiting	Merlan	IIa (EC waters), IV	12.593	pm	na	pm	na
<i>Merlangius merlangus</i>	Whiting	Merlan	Vb (EC waters), VI, XII, XIV	574	765	-25%	574	-25%
<i>Merlangius merlangus</i>	Whiting	Merlan	VIIa	209	278	-25%	209	-25%
<i>Merlangius merlangus</i>	Whiting	Merlan	VIIb-k	16.949	19.940	-15%	16.949	-15%
<i>Merlangius merlangus</i>	Whiting	Merlan	VIII	3.600	3.600	0%	3.060	-15%
<i>Merlangius merlangus</i>	Whiting	Merlan	IX, X, CECAF 34.1.1 (EC waters)	653	653	0%	555	-15%

<i>Merlangius merlangus</i> and <i>Pollachius pollachius</i>	Whiting and Pollack	Merlan et Lieu jaune	Norwegian waters south of 62° N	190	190	0%	pm	na
<i>Merluccius merluccius</i>	Hake	Merlu	IIIa, IIIbcd (EC waters)	1.552	1.627	-5%	1.552	-5%
<i>Merluccius merluccius</i>	Hake	Merlu	IIa (EC waters), IV (EC waters)	1.808	1.896	-5%	1.808	-5%
<i>Merluccius merluccius</i>	Hake	Merlu	Vb (EC waters), VI, VII; XII, XIV (internat. waters)	28.879	30.281	-5%	28.879	-5%
<i>Merluccius merluccius</i>	Hake	Merlu	VIII a, b, d, e	19.261	20.196	-5%	19.261	-5%
<i>Merluccius merluccius</i>	Hake	Merlu	VIIIc, IX, X, CEEAF 34.1.1 (EC waters)	8.104	7.047	15%	8.104	15%
<i>Micromesistius poutassou</i>	Blue whiting	Merlan bleu	Norwegian waters of II and IV (! in 2008 only waters of IV)	4.000	8.000	na	pm	na
<i>Micromesistius poutassou</i>	Blue whiting	Merlan bleu	EC and international waters of I, II, III, IV, V, VI, VII, VIIIa, VIIIb, VIIIc, VIIIe, XII and XIV	74.058	175.466	-58%	pm	na
<i>Micromesistius poutassou</i>	Blue whiting	Merlan bleu	VIIIc, IX and X; EC waters of CEEAF 34.1.1	15.155	32.107	-53%	pm	na
<i>Microstomus kitt</i> & <i>Glyptocephalus cynoglossus</i>	Lemon sole and Witch	Limande sole et plie grise	IIa and IV (EC waters)	6.793	6.793	0%	6.114	-10%
<i>Molva dyptergia</i>	Blue ling	Lingue bleue	EC waters & waters not under the sovereignty or jurisdiction of TC of VI-VII	2009	2000	0%	1708	-15%
<i>Molva molva</i>	Ling	Lingue	I, II (EC and International)	45	45	0%	38	-16%
<i>Molva molva</i>	Ling	Lingue	IIIa, IIIb-d (EC waters) LIN/03	100	100	0%	85	-15%
<i>Molva molva</i>	Ling	Lingue	IV (EC waters) LIN/04	2.856	2.856	0%	2.428	-15%
<i>Molva molva</i>	Ling	Lingue	V (EC and International waters) LIN/05	34	34	0%	34	0%
<i>Molva molva</i>	Ling	Lingue	VI, VII, VIII, IX, X, XII, XIV (EC waters and international waters) LIN/6X14	10.776	10.776	0%	9.160	-15%
<i>Molva molva</i>	Ling	Lingue	IV (Norwegian waters)	850	850	0%	pm	na
<i>Nephrops norvegicus</i>	Norway lobster	Langoustine	IIIa; IIIbcd (EC waters)	5.170	5.170	0%	5.170	0%

<i>Nephrops norvegicus</i>	Norway lobster	Langoustine	IIa (EC waters), IV (EC waters) NEP/2AC4-C	24.837	26.144	-5%	23.609	-10%
<i>Nephrops norvegicus</i>	Norway lobster	Langoustine	IV (Norwegian waters)	1.210	1.250	-3%	1.210	-3%
<i>Nephrops norvegicus</i>	Norway lobster	Langoustine	Vb (EC waters), VI NEP/5BC6	18.891	19.885	-5%	16.902	-15%
<i>Nephrops norvegicus</i>	Norway lobster	Langoustine	VII	24.650	25.153	-2%	21.380	-15%
<i>Nephrops norvegicus</i>	Norway lobster	Langoustine	VIII a, b, d, e NEP/8ABDE	4.104	4.320	-5%	3.672	-15%
<i>Nephrops norvegicus</i>	Norway lobster	Langoustine	VIIIc	112	124	-10%	112	-10%
<i>Nephrops norvegicus</i>	Norway lobster	Langoustine	IX, X, CEECAF 34.1.1 (EC waters)	374	415	-10%	374	-10%
<i>Pandalus borealis</i>	Northern prawn	Crevette nordique	IIIa	6.205	6.205	0%	pm	na
<i>Pandalus borealis</i>	Northern prawn	Crevette nordique	IIa (EC waters), IV (EC waters)	4.980	3.984	25%	pm	na
<i>Pandalus borealis</i>	Northern prawn	Crevette nordique	Norwegian waters south of 62°00' N	664	664	0%	pm	na
<i>Penaeus spp.</i>	'Penaeus' shrimps	Crevette royale	French Guyana	4.108	4.108	0%	4.108	0%
<i>Pleuronectes platessa</i>	Plaice	Plie	Skagerrak PLE/03AN	9.163	9.163	0%	pm	na
<i>Pleuronectes platessa</i>	Plaice	Plie	Kattegat PLE/03AS	2.338	2.338	0%	pm	na
<i>Pleuronectes platessa</i>	Plaice	Plie	IV, EC waters of Iia, that part of IIIa not covered by the Skagerrak and Kattegat	47.875	47.875	0%	pm	na
<i>Pleuronectes platessa</i>	Plaice	Plie	Vb (EC waters), VI, XII, XIV PLE/561214	668	786	-15%	668	-15%
<i>Pleuronectes platessa</i>	Plaice	Plie	VIIa	1.430	1.849	-23%	1.430	-23%
<i>Pleuronectes platessa</i>	Plaice	Plie	VII b, c	94	110	-15%	110	0%
<i>Pleuronectes platessa</i>	Plaice	Plie	VII d, e	4.646	5.050	-8%	4.421	-12%
<i>Pleuronectes platessa</i>	Plaice	Plie	VII f, g	422	491	-14%	422	-14%
<i>Pleuronectes platessa</i>	Plaice	Plie	VII h, j, k	256	303	-16%	256	-16%

<i>Pleuronectes platessa</i>	Plaice	Plie	VIII, IX, X, CECAF 34.1.1 (EC waters)	448	448	0%	381	-15%
<i>Pollachius virens</i>	Pollack	Lieu jaune	Vb (EC waters), VI, XII, XIV POL/561214	13066	14100	-7%	pm	na
<i>Pollachius pollachius</i>	Pollack	Lieu jaune	VII POL/07	15.300	15.300	0%	13.005	-15%
<i>Pollachius pollachius</i>	Pollack	Lieu jaune	VIII a, b, d, e	1.680	1.680	0%	1.680	0%
<i>Pollachius pollachius</i>	Pollack	Lieu jaune	VIIIc POL/08C	262	262	0%	223	-15%
<i>Pollachius pollachius</i>	Pollack	Lieu jaune	IX, X, CECAF 34.1.1 (EC waters) POL/9/3411	288	288	0%	245	-15%
<i>Pollachius virens</i>	Saithe	Lieu noir	IIa (EC waters), IIIa, IIIbcd (EC waters), IV	60.448	65.232	-7%	pm	na
<i>Pollachius virens</i>	Saithe	Lieu noir	Vb (EC waters), VI, XII, XIV POK/561214	450	450	0%	383	-15%
<i>Pollachius virens</i>	Saithe	Lieu noir	Norwegian waters south of 62°	880	880	0%	pm	na
<i>Pollachius virens</i>	Saithe	Lieu noir	VII, VIII, IX, X, CECAF 34.1.1 (EC waters) POK/7/3411	3.790	3.790	0%	3.222	-15%
<i>Psetta maxima & Scophthalmus rhombus</i>	Turbot and brill	Turbot et barbue	IIa (EC waters), IV (EC waters)	5.263	5.263	0%	4.737	-10%
<i>Rajidae</i>	Skates and rays	Requins et Raies	VIab (EC waters), VIIa-c, e-k (EC waters) (SRX/67AKXD)	15.748	new area	new area	10.596	new area
<i>Rajidae</i>	Skates and rays	Requins et Raies	VIIId (EC waters) (SRX/07D)	1.044	new area	new area	736	new area
<i>Rajidae</i>	Skates and rays	Requins et Raies	VIII et IX (EC waters) (SRX/8910C)	6.423	new area	new area	4.030	new area
<i>Rajidae</i>	Skates and rays	Requins et Raies	IIa (EC waters), IV (EC waters)	1.643	1.643	0%	1.397	-15%
<i>Rajidae</i>	Skates and rays	Requins et Raies	IIIa (EC waters) (SRX/03-C)	68	na	na	58	na
<i>Reinhardtius hippoglossoides</i>	Greenland halibut	Flétan du Groenland	IIa (EC waters), IV, VI (EC and International waters) GHL/2A-C46	720	847	-15%	720	-15%
<i>Scomber scombrus</i>	Mackerel	Maquereau	IIa (EC waters), IIIa, IIIb, c, d (EC waters), IV MAC/2A34	23.450	18.149	29%	pm	na
<i>Scomber scombrus</i>	Mackerel	Maquereau	IIa (non-EC waters), Vb (EC waters), VI, VII, VIII a, b, d, e, XII XIV MAC/2CX14	311.531	234.082	33%	pm	na

<i>Scomber scombrus</i>	Mackerel	Maquereau	VIIIc, IX, X, CEEAF 34.1.1 (EC waters) MAC/8C3411	35.829	27.005	33%	pm	na
<i>Solea solea</i>	Common sole	Sole commune	IIIa, IIIb,c,d (EC waters)	800	940	-15%	705	-25%
<i>Solea solea</i>	Common sole	Sole commune	IIa, IV (EC waters)	13.910	12.710	9%	pm	na
<i>Solea solea</i>	Common sole	Sole commune	Vb (EC waters), VI, XII, XIV SOL/561214	68	68	0%	58	-15%
<i>Solea solea</i>	Common sole	Sole commune	VIIa	502	669	-25%	502	-25%
<i>Solea solea</i>	Common sole	Sole commune	VIIIb, c	50	55	-9%	50	-9%
<i>Solea solea</i>	Common sole	Sole commune	VIIId	5.274	6.593	-20%	5.274	-20%
<i>Solea solea</i>	Common sole	Sole commune	VIIe	650	765	-15%	650	-15%
<i>Solea solea</i>	Common sole	Sole commune	VIIIf, g	993	964	3%	940	-2%
<i>Solea solea</i>	Common sole	Sole commune	VIIIh, j, k	553	650	-15%	553	-15%
<i>Solea solea</i>	Common sole	Sole commune	VIIIa, b SOL/8AB	4.390	4.170	5%	4.390	5%
<i>Solea spp.</i>	Sole	Sole	VIIIc, d, e, IX, X, CEEAF 34.1.1 (EC waters)	1.216	1.216	0%	1.034	-15%
<i>Sprattus sprattus</i>	Sprat	Sprat	IIIa	48.100	48.100	0%	pm	na
<i>Sprattus sprattus</i>	Sprat	Sprat	IIa (EC waters), IV (EC waters)	150.777	175.777	-14%	pm	na
<i>Sprattus sprattus</i>	Sprat	Sprat	VIIId, e	6.144	6.144	0%	6.144	0%
<i>Squalus acanthias</i>	Spurdog / dogfish	Aiguillat chien de mer	IIa & IV (EC waters) (DGS/2AC4-C)	266	581	-54%	0	-100%
<i>Squalus acanthias</i>	Spurdog dogfish	Aiguillat chien de mer	IIIaEC waters (DGS/03A)	104	new area	new area	new area	na
<i>Squalus acanthias</i>	Spurdog dogfish	Aiguillat chien de mer	IIIa, EC & Int. Waters of I, V, VI, VII, VIII, XII & XIV	1.002	2.004	-50%	0	-100%
<i>Trachurus spp.</i>	Horse mackerel	Chinchard	IIa & IV (EC waters) (JAX/2AC4-C)	34.770	37.230	-7%	34.770	-7%
<i>Trachurus spp.</i>	Horse mackerel	Chinchard	Vb (EC waters), VI, VII, VIIIa, b, d, e; XII, XIV (internat. Waters) (JAX/578/14)	165.939	167.920	-1%	pm	na
<i>Trachurus spp.</i>	Horse mackerel	Chinchard	X, CEEAF Azores	3.200	3.200	0%	2.720	-15%
<i>Trachurus spp.</i>	Horse mackerel	Chinchard	CEEAF Madeira Islands JAX/341PRT	1.280	1.280	0%	1.088	-15%
<i>Trachurus spp.</i>	Horse mackerel	Chinchard	CEEAF Canary Islands (JAX/341 SPN)	1.280	1.280	0%	1.088	-15%
<i>Trisopterus esmarki</i>	Norway pout	tacaud norvégien	IIa (EC waters), IIIa, IV (EC waters) NOP/2A3A4	26.250	36.500	-28%	26.250	-28%

<i>Trisopterus esmarki</i>	Norway pout	tacaud norvégien	IV (Norwegian waters) (NOP/4AB-N)	1.000	5.000	-80%	pm	na
		Industrial fish	IV (Norwegian waters) (I/F/4AB-N)	800	800	0%	pm	na
		Other species	IV (Norwegian waters) (OTH/4AB-N)	5.000	5.000	0%	pm	na
ANNEX IB NORTH EAST ATLANTIC AND GREENLAND AND ICES zones I, II, V, XII, XIV and Greenland Waters of NAFO 0 and 1								
<i>Chionoecetes spp.</i>	Crabe	Snow crab	Greenland waters of NAFO 0 and 1	500	500	0%	500	0%
<i>Clupea harengus</i>	Herring	Hareng	EC and International waters of I and II HER/1/2	106.959	98.822	8%	pm	na
<i>Gadus morhua</i>	Cod	Cabillaud	Norwegian waters of I and II COD/1N2AB	19.324	17.057	13%	pm	na
<i>Gadus morhua</i>	Cod	Cabillaud	Greenland waters of NAFO 0 and 1, Greenland waters of V and XIV (COD/NO1514)	3.500	3.500	0%	3.500	0%
<i>Gadus morhua</i>	Cod	Cabillaud	I and IIb COD/1/2B	19.793	16.211	22%	16.211	0%
<i>Gadus morhua and Melanogrammus aeglefinus</i>	Cod and haddock	Cabillaud et églefin	Vb (Faroese waters)	500	500	0%	pm	na
<i>Hippoglossus hippoglossus</i>	Atlantic halibut	Flétan	V, XIV (Greenland waters)	1.075	1.000	8%	pm	na
<i>Hippoglossus hippoglossus</i>	Atlantic halibut	Flétan	NAFO 0, 1 (Greenland waters)	75	100	-25%	pm	na
<i>Mallotus villosus</i>		Capelin	IIb	0	0	0%	0	0%
<i>Mallotus villosus</i>		Capelin	V, XIV (Greenland waters)	0	0	0%	0	0%
<i>Melanogrammus aeglefinus</i>	Haddock	Eglefin	I, II (Norwegian waters)	2.500	2.500	0%	pm	na
<i>Micromesistius poutassou</i>	Blue whiting	Merlan bleu	Faroese waters	3.000	12.240	-75%	pm	na
<i>Molva molva and Molva dypterygia</i>	Ling and Blue ling	Lingue et Lingue bleue	Vb (Faroese waters)	3.065	3.065	0%	pm	na
<i>Pandalus borealis</i>	Northern prawn	Crevette nordique	Greenland waters of V and XIV PRA/514GRN	7.000	7.000	0%	7.000	0%
<i>Pandalus borealis</i>	Northern prawn	Crevette nordique	Greenland waters of NAFO 0 and 1 PRA/NO1GRN	4.000	4.000	0%	4.000	0%
<i>Pollachius virens</i>	Saithe	Lieu noir	I, II (Norwegian waters)	3.000	3.832	-22%	pm	na
<i>Pollachius virens</i>	Saithe	Lieu noir	International waters of I and II	0	0	na	0	na

<i>Pollachius virens</i>	Saithe	Lieu noir	Vb (Faroese waters)	2.425	2.425	0%	pm	na
<i>Reinhardtius hippoglossoides</i>	Greenland halibut	Flétan du Groenland	Norwegian waters of I and II	50	50	0%	pm	na
<i>Reinhardtius hippoglossoides</i>	Greenland halibut	Flétan du Groenland	International waters of I and II GHL/12/INT	0	0	0%	0	0%
<i>Reinhardtius hippoglossoides</i>	Greenland halibut	Flétan du Groenland	Greenland waters of V and XIV	7.500	7.500	0%	7.500	0%
<i>Reinhardtius hippoglossoides</i>	Greenland halibut	Flétan du Groenland	Greenland waters of NAFO 0 an 1	2.500	2.500	0%	2.500	0%
<i>Scomber scombrus</i>	Mackerel	Maquereau	IIa (Norwegian waters)	12.300	9.300	32%	pm	na
<i>Scomber scombrus</i>	Mackerel	Maquereau	Vb (Faroese waters)	3.001	3.001	0%	pm	na
<i>Sebastes spp.</i>	Redfish	Sébaste	V, XII, XIV	0	0	0%	0	0%
<i>Sebastes spp.</i>	Redfish	Sébaste	I, II (Norwegian waters)	1.500	1.500	0%	pm	na
<i>Sebastes spp.</i>	Redfish	Sébaste	V, XIV (Greenland waters)	0	0	na	0	na
<i>Sebastes spp.</i>	Redfish	Sébaste	Va (Icelandic waters)	0	0	na	0	na
<i>Sebastes spp.</i>	Redfish	Sébaste	Vb (Faroese waters)	1.600	1.600	0%	pm	na
		By-catches	NAFO 0, 1 (Greenland waters)	2.300	2.300	0%	2.300	0%
		Other species	I, II (Norwegian waters)	350	350	0%	pm	na
		Other species	Vb (Faroese waters)	760	760	0%	pm	na

ANNEX IC NORTH WEST ATLANTIC Area of NAFO

<i>Gadus morhua</i>	Cod	Cabillaud	NAFO 2J3KL	0	0	0%	0	0%
<i>Gadus morhua</i>	Cod	Cabillaud	NAFO 3NO	0	0	0%	0	0%
<i>Gadus morhua</i>	Cod	Cabillaud	NAFO 3M	0	0	0%	0	0%
<i>Glyptocephalus cynoglossus</i>	Witch flounder	Plie grise	NAFO 2J3KL	0	0	0%	0	0%
<i>Glyptocephalus cynoglossus</i>	Witch flounder	Plie grise	NAFO 3NO	0	0	0%	0	0%
<i>Hippoglossoides platessoides</i>	American Plaice	Faux Flétan	NAFO 3M	0	0	0%	0	0%
<i>Hippoglossoides platessoides</i>	American Plaice	Faux Flétan	NAFO 3LNO	0	0	0%	0	0%
<i>Illex illecebrosus</i>	Short fin squid	Calmar à nageoires courtes	NAFO sub-zones 3 and 4	34.000	34.000	0%	34.000	0%
<i>Limanda ferruginea</i>	Yellowtail flounder	Limande à queue jaune	NAFO 3LNO	17000	15500	10%	15500	0%

<i>Mallotus villosus</i>		Capelin	NAFO 3NO	0	0	0%	0	0%
<i>Pandalus borealis</i>	Northern prawn	Crevette nordique	NAFO 3L	334	278	20%	334	20%
<i>Reinhardtius hippoglossoides</i>	Greenland halibut	Flétan du Groenland	NAFO 3M	6.951	6.951	0%	6.951	0%
<i>Rajidae</i>	Skate	Raie cendrée	NAFO 3LNO	8.500	8.500	0%	8.500	0%
<i>Sebastes spp.</i>	Redfish	Redfish	NAFO 3LN	0	0	0%	0	0%
<i>Sebastes spp.</i>	Redfish	Redfish	NAFO 3M	7.813	7.813	0%	7.813	0%
<i>Sebastes spp.</i>	Redfish	Redfish	NAFO 3O	7.000	7.000	0%	7.000	0%
<i>Sebastes spp.</i>	Redfish	Redfish	NAFO Subarea 2, divisions 1F and 3K	2.503	2.503	0%	2.503	0%
<i>Urophycis tenuis</i>	White hake	Merluche blanche	NAFO 3NO	5.000	5.000	0%	5.000	0%

ANNEX ID HIGHLY MIGRATORY FISH - All AREAS

<i>Thunnus thynnus</i>	Bluefin tuna footnote	Thon rouge	Atlantic Ocean, east of longitude 45°W and Mediterranean BFT/AE045W	11.907	16.211	-27%	11.907	-27%
<i>Xiphias gladius</i>	Swordfish	Espadon	Atlantic Ocean (north of latitude 5° N)	8.232	6.987	18%	8.232	18%
<i>Xiphias gladius</i>	Swordfish	Espadon	Atlantic Ocean (south of latitude 5° N)	5.717	5.780	-1%	5.717	-1%
<i>Germo alalunga</i>	Northern Albacore	Thon blanc	Atlantic Ocean (north of latitude 5° N)	38.193	37.050	3%	38.193	3%
<i>Germo alalunga</i>	Southern Albacore	Thon blanc	Atlantic Ocean (south of latitude 5° N)	1.915	1.915	0%	1.915	0%
<i>Thunnus obesus</i>	Bigeye tuna	Thon obèse	Atlantic Ocean	31.200	31.350	0%	31.200	0%
<i>Makaira nigricans</i>	Blue marlin	Makaire bleu	Atlantic Ocean	103	103	0%	103	0%
<i>Tetrapturus alba</i>	White marlin	Makaire blanc	Atlantic Ocean	47	47	0%	47	0%

ANNEX IE ANTARCTIC Area of CCAMLR

<i>Champocephalus gunnari</i>	Antarctic icefish	Poisson des glaces antarctique	FAO 48.3 Anatarctic ANI/F483	3834	2462	56%	3834	na
<i>Champocephalus gunnari</i>	Antarctic icefish	Poisson des glaces antarctique	FAO 58.5.2 Antarctic ANI/F5852	102	220	-54%	102	na
<i>Dissostichus eleginoides</i>	Antarctic toothfish	Légines	FAO 48.3 Antarctic TOP/F483	3920	3920	0%	3920	na

<i>Dissostichus eleginoides</i>	Antarctic toothfish	Léginés	FAO 48.4 Antarctic TOP/F484	75	100	-25%	75	na
<i>Dissostichus eleginoides</i>	Antarctic toothfish	Léginés	FAO 58.5.2 Antarctic TOP/F5852	2500	2500	0%	2500	na
<i>Euphausia superba</i>	Krill	Krill	FAO 48 KRI/F48	3 470 000	3 470 000	#VALUE!	3 470 000	na
<i>Euphausia superba</i>	Krill	Krill	KRI/F5841	440 000	440 000	#VALUE!	440 000	na
<i>Euphausia superba</i>	Krill	Krill	KRI/F5842	2 645 000	2 645 000	#VALUE!	2 645 000	na
<i>Lepidonotothen squamifrons</i>	Grey rockcod	Colin austral	FAO 58.5.2 Antarctic NOS/F5852	80	80	0%	80	na
<i>Paralomis spp.</i>	Crab	Crabe	FAO 48.3 Anantarctic PAI/F483	1600	1600	0%	1600	na
<i>Macrourus spp.</i>	Grenadier	Grenadier	FAO 58.5.2 Antarctic GRV/F5852	360	360	0%	360	na
	Other species	Autres espèces	FAO 58.5.2 Antarctic OTH/F5852	50	50	0%	50	na
<i>Rajidae</i>	Skates and rays	Requins et raies	FAO 58.5.2 Anarctic SRX/F5852	120	120	0%	120	na
<i>Martiala hyadesi</i>	Squid	Calmar	FAO 48.3 Antarctic SQS/F483	2500	2500	0%	2500	na
ANNEX IF SOUTH-EAST ATLANTIC OCEAN Area of SEAFO								
<i>Dissostichus eleginoides</i>	Patagonian Toothfish	Léginé australe	SEAFO	260	260	0%	260	0%
<i>Chaceon spp.</i>	Deep-sea Red crab	Gérion ouest-africain	SEAFO Sub Division B1	200	200	0%	200	0%
<i>Chaceon spp.</i>	Deep-sea Red crab	Gérion ouest-africain	SEAFO excluding Sub division B1	200	200	0%	200	0%
<i>Beryx spp.</i>	Alfonsinos	Béryx	SEAFO	200	new TAC	new TAC	200	new TAC
<i>Hoplostethus atlanticus</i>	Orange roughy	Hoplosthète orange	SEAFO	260	new TAC	new TAC	200	new TAC
ANNEX IG SOUTHERN BLUEFIN TUNA - All Areas								
<i>Thunnus maccoyii</i>	Bluefin tuna footnote	Thon rouge	By-catches in all areas (SBF/F4181)	10	16.211	-100%	10	-100%